

KERUBIN SALI, KULTTUURIKESKUS KARJALANTALO

VENUE INFO & TECHNICAL DETAILS

Updated March 9th 2012

GENERAL INFORMATION

Venue address:

Siltakatu 1 (Ilosaari)
80100 Joensuu, Finland

Capacity:

450 standing audience (or 200 seated audience)

Load In:

Side of the building. 5m flat push to elevator, 5m flat push from elevator to stairs and a dozen steps up to the stage (ramp available).

Stage size:

Height: 0,8m
Clearance: 2,3m - 4m (slanted roof)
Depth: 5m
Width: 6,75m
+ 16m² additional space behind the backdrop

Parking:

Side of the building, room for one tour bus.
Schuko type electricity available when needed.

Dressing Room:

One floor down. WLAN available. Shower and toilette next to dressing rooms.

Catering:

Own restaurant, fully licensed.

Merchandise:

Stand in the lobby, no concession fee.

SOUND

SPL limit:

100dB (A-slow) to FOH

PA:

Mid/Hi: 8 x Martin Audio W8LM Line Array
2 x Martin Audio W8LMD Downfill element
Subs: 6 x Martin Audio WMX Subwoofer
Center: 2 x Martin Audio F10+
Amps: 2 x QSC PL-325
4 x QSC PL-380
System processor: 1 x QSC Basis922az

FOH:

Console: 1 x Yamaha M7CL48 V3, onboard dynamics and effects
Outboard effects: 1 x TC Electronic D-Two
EQ: 1 x Klark Teknik Square One Graphic
CD-player: 1 x Denon DN-110P
Multicore: 48/12

Monitor system:

Monitors mixed from FOH.

Eight groups for wedges + drum fill.

Active splitter: 4 x Klark Teknik Square One Splitter (total 32ch)
with 32ch sub snake (located on stage left)
Wedges: 8 x Martin Audio LE1200S Stage Monitor
Amps: 4 x QSC PL-380
Drum fill: QSC KW153 Mid/Hi + QSC KW181 Sub

Monitor console available on request by pre-order and additional cost. Please, ask well in advance!

Microphones & DI boxes:

2 x Sennheiser e902
4 x Sennheiser e904
6 x Shure SM57
6 x Shure SM58
1 x Sennheiser MD421
2 x Sennheiser e906
4 x Sennheiser e935
2 x AKG C451B
2 x AKG C214

1 x Shure SLX4 w/SM58 wireless
1 x Shure SLX4 w/PG30 headset or WL185 lavalier wireless

8 x LA Audio DI2

Selection of mic stands, cables and drop boxes.

Multitrack recording, additional gear and backline available by pre-order and additional cost. Please, ask well in advance!

LIGHTS

6 x Robe Wash 250 AT
6 x Robe Spot 575 AT
8 x Multiform LS1310 Multispot
8 x Stairville mole-4
4 x Stairville Strobe 1500 DMX
10 x DTS Scena 1000w

Console:

1 x ChamSys MQ100 pro

Hazer:

1 x Martin Magnum 2500 Hz

Dimmers:

4 x Botex DPX-620

Guest power:

2 x 16A 3 phase CEE, located on stage

TAKE NOTICE!

If you'll need additional dimmers, please bring your own!

Pyrotechnics:

The use of pyro effects and confetti is not allowed. All stage decorations and backdrop must be made of fire safe material.

VIDEO**Projector:**

Mitsubishi WL6700, 5000 ANSI lumens,
1000:1 contrast ratio, WXGA resolution

Presentation Scaler:

PTN Electronics SC71D

Universal Audio/Video Player:

Panasonic DMP-BD45 Blu-ray disc player

Screen:

Lodovico Screenline 650cm x 366cm
Located on down stage.

**FOR MORE INFORMATION ON TECHNICAL DETAILS,
PLEASE CONTACT. THANKS!**

Mikko Vihavainen
mikko.vihavainen@ilosaarirock.fi
+358 50 357 5474