

**KERUBI**  
**SALI**  
**VENUE INFO & TECHNICAL DETAILS**

Updated 21st Feb 2019

**GENERAL INFORMATION**

**Venue address:**

Siltakatu 1 (Ilosaari)  
80100 JOENSUU, Finland  
<https://goo.gl/maps/OfL4w>

**Capacity:**

450 standing audience (or 200 seated audience)

**Parking:**

Side of the building, room for one tour bus.  
32A and Schuko type electricity available when needed.

**Load In:**

Side of the building. 5m flat push to elevator, 5m flat push from elevator to stairs and about a dozen steps up to the stage (ramp available).

**Stage size:**

Height: 0,8m  
Depth: 5m  
Width: 6,75m  
Clearance: 2,3m - 4m (slanted roof)  
+ additional working space behind the backdrop (Black Molton)

**Riser:**

3 x 2m x 1m x 0,35m riser pieces. Max. 3x2m.

**Dressing Room:**

Various rooms available demanding on need. Toilets and showers within or near the dressing rooms. And yes, there is a Wi-Fi!

**Catering:**

Own restaurant, fully licensed. Buffet dinner as default.

**Merchandise:**

Stand (small) in the lobby, no concession fee but a few T-shirts for the local crew would be appreciated.



**SOUND****SPL limit:**

100dB (A-slow) to FOH

**PA:**

Mid/Hi: **Per side**            4 x Martin Audio W8LM Line Array  
    1 x Martin Audio W8LMD Downfill element

Subs: Mono                        6 x Martin Audio WMX Subwoofer

Center:                            2 x Martin Audio F10+

Amps:                                2 x QSC PL325  
    4 x QSC PL380

System processor:            1 x QSC Basis922az

**FOH:**

Console:                         Midas Pro3 (v. 2.6.1)  
    w/8 XLR in/8 XLR out/8 AES/EBU i/o @FOH

Stagebox:                        Midas DL251  
    48in/16out

Master processor:            Waves MaxxBCL

EQ:                                 Klark Teknik Square One Graphic

Outboard effects:            TC Electronic D-Two

CD/USB-player:               Numark MP103USB

Multicores (house):         2 x CAT5e

Multicores for guests:     48/12 analog  
    2 x CAT5 (@stage left)

**Monitor system:***Monitors mixed from FOH.**Max eight groups for wedges + drum fill.*

Wedges:                         10 x Martin Audio LE1200 Stage Monitor

Amps:                               4 x QSC PL380

Drum fill:                        QSC KW153 Mid/Hi + QSC KW181 Sub (active)

Active splitter:                4 x Klark Teknik Square One Splitter (total 32ch)  
    with 32ch sub snake (located at stage left) for  
    your monitor console.

Monitor console (Yamaha M7CL-32) available.

Take notice! Additional monitor engineer available by pre-order and additional cost.

Other gear and backline available by pre-order and additional cost.

Please, ask well in advance!

**Microphones & DI boxes:**

2 x AKG C214  
2 x AKG C451B  
1 x Audix i5  
2 x Audix OM7  
2 x Audio-Technica AT4021  
2 x Audio-Technica PRO35  
2 x Sennheiser e902  
7 x Sennheiser e904  
2 x Sennheiser e906  
4 x Sennheiser e935  
2 x Sennheiser e945  
1 x Sennheiser MD421  
2 x Shure Beta 52A  
1 x Shure Beta 57A  
2 x Shure Beta 58A  
1 x Shure Beta 87A  
3 x Shure Beta 91A  
1 x Shure KSM8  
8 x Shure SM57  
8 x Shure SM58

Wireless: 4ch Shure ULXD and 4ch SLX4 systems w/

6 x SM58  
1 x Beta 87A  
2 x SM35 headset  
1 x PG30 headset  
1 x WH20 headset  
1 x WL185 lavalier  
4 x Bodypack

8 x LA Audio DI2  
2 x Palmer PDI-09  
2 x Radial PRO D2  
1 x Radial PRO AV2

Selection of mic stands, clamps, cables and drop boxes.

Talkback system between FOH and monitor desk positions.

**Guest power for sound:**

1 x 16A 3 phase CEE

## **LIGHTS**

6 x Robe ColorWash 250 AT  
6 x Robe ColorSpot 575 AT  
4 x Robe Robin 100 LEDBeam (additional on the floor)  
8 x Multiform LS1310 Multispot  
4 x Stairville HL-x18 QCL RGBW Flood  
8 x Stairville 4-Light Mole  
5 x Stairville Strobe 1500 DMX  
4 x DTS Scena 1000w Fresnel

+ The pipe structure above the audience

6 x DTS Scena 1000w Fresnel (Front lights)  
4 x Robe Robin 100 LEDBeam  
16 x Stairville xBrick Full-Color

### **Console:**

1 x ChamSys MQ100 PRO  
1 x Extra Wing Compact

### **Hazer:**

1 x Look Unique 2.1

### **Dimmers:**

4 x Botex DPX-620 (24ch)

### **Guest power for light:**

2 x 16A 3 phase CEE

### ***TAKE NOTICE!***

*If you'll need additional dimmers, please bring your own!  
Keep in mind the 16A power outlets.*

### **Pyrotechnics:**

The use of pyro effects and confetti is **NOT** allowed.

**All stage decorations and backdrops must be made of fire safe material.**

## **DJ EQUIPMENT**

1 x Pioneer DJM-2000SRT  
1 x Rane Sixty Two  
1 x Rane TTM 57SL  
2 x Pioneer PLX-1000 (Please, bring your own cartridges)  
2 x Pioneer CDJ-2000 Nexus

## **VIDEO and PRESENTATION**

### **Projector (installed above the FOH, CANNOT be moved):**

Eiki EK-815U laser, 8500 ANSI lumens,  
100,000:1 contrast ratio, WUXGA resolution

### **Presentation Scaler:**

PTN Electronics SC71D  
HDMI, VGA and selection of adapters.

### **Universal Audio/Video Player:**

Philips BDP2285 Blu-ray disc player

### **Screen:**

Lodovico Screenline 650cm x 366cm, motorized  
Located on down stage.

### **Television Screens:**

2 x Panasonic 55"  
1 x Roland V4-EX -video mixer

### **Computers for presentation use:**

MacBook Pro  
Lenovo  
Remote for Keynote/Powerpoint

## **FOR MORE INFORMATION ON TECHNICAL DETAILS, PLEASE CONTACT.**

Teo Makkonen / Guru Entertainment  
teo.makkonen@gurut.fi

our in-house producer tuotanto@kerubi.fi

## **THANK YOU!**

[www.kerubi.fi](http://www.kerubi.fi)

[www.kerubi.fi/info/tekniikka](http://www.kerubi.fi/info/tekniikka)